

---

Subject: faster forth  
Posted by [blk](#) on Thu, 30 May 2013 03:58:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Message-ID:  
Date: Fri, 12-Oct-84 13:10:58 EDT  
Article-I.D.: syteka.491  
Posted: Fri Oct 12 13:10:58 1984  
Date-Received: Sun, 14-Oct-84 06:51:39 EDT  
References: iham1.233  
Lines: 44

The BYTE article referred to  
Re: FORTH returns on a TI 99/4A  
is apparently correct in the discussion of speed versus size.

Note that the size increase might be considerable, as the body of every high level definition becomes half again as large (+50%)!

However, there is no need to rewrite FORTH to achieve the speed increase.

The author of the BYTE article made some theoretical errors that cloud the issue a bit. The change does not affect the dictionary structure in any way, so the new fastwords are compatible with existing FORTHs. Changing from pointers to calls in a definition transforms the fastwords from a Threaded Interpretive Language (TIL) construct into what might be called a Threaded Hybrid Language (THL) construct.

I choose the word 'Hybrid' because the fastwords can co-exist with regular forth words. The BYTE article referred to a language implemented this way as another form of a TIL, but in fact words following this form are directly executed, not interpreted.

To use fastwords, one only has to create a new defining word, maybe called `fast:`. This word will work just like `:` except that it will compile calls to other fastwords, not pointers to words as `:` does, and the code field in the new word points to the parameter field like the normal forth primitives.

The easiest way to hook it all together is to invoke fastwords with a 'run' command or some such; somehow you need to return to the inner interpreter when the fastwords are done. However, tricky things can be done with the `fast:` defining word to make fastwords look and act the same. Similarly, one can call regular TIL forth words from a fastword with a clever `fast:` defining word. You just have

to trick ;S into returning to the fastword instead of the interpreter.

Hope that this helped.

ps- if the parent forth doesn't use the machine's return stack as  
the FORTH return stack, the compatibility is lessened.

My favorite FORTH doesn't, but most do.

B<